




## LUKA SENSOR INSTALLATION INSTRUCTIONS



A  
↑  
G



**FI** Tämä tuote sisältää valonlähteen, jonka energiatehokkuusluokka on **C**.


**SV** Denna produkt innehåller en ljuskälla med energieffektivitetsklass **C**.

**EN** This product contains a light source of energy efficiency class **C**.


**FR** Ce produit contient une source lumineuse de classe d'efficacité énergétique **C**.

**DE** Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse **C**.


**PL** Ten produkt zawiera źródło światła o klasie efektywności energetycznej **C**.



1



2




M6x20 HEX5  
Max 12Nm


3

1~

GNYE	
BU	N
BN	L




**LB100**




**LB220**

0° / 5° / 10° / 15° / 25°




**LB200**

0° / 5° / 10° / 15° / 25°




**LB210**

0° / 5° / 10° / 15° / 25°




**LB300**

0° / 15° / 25° / 35° / 45°




**LB310**

0° / 15° / 25° / 35° / 45°




**LB320**




**LB400**


0° - 125°





4a



4b



Koolmesh App Manual



**Luminaire**

Ta-class  
IP Rating  
IK Code

**Sensor**

Ta-class  
IP Rating  
IK Code



---

A Fagerhult Group Company

Manufacturer:

I-VALO OY  
TEHTAANTIE 3B  
14500 IITTALA  
FINLAND  
Tel. +358 (0)10 501 3000  
info@i-valo.com



**Intertek**



**Intertek**